

POWER DRIVEN UNCOILERS FOR LARGE DIAMETER APPLICATIONS

Standard Features

- Designed for today's higher speed and heavy coil applications.
- Two models available for diameters up to 1.500 inch (38 mm)
- Can be equipped with twin coil support mandrels designed to reduce coil swing to allow for faster production speeds.
- AC Inverter drive system
- Pneumatically actuated feed rolls, 8 or 12 inch diameter
- Portable operator's station
- Rigid I beam construction to support the largest available coils
- 90 and 96 inch mandrels standard,
- Snag detector switch

Options

- Full enclosure, with safety interlocked guard
- Power cutoff saw
- Integrated single or double plane straighteners
- End of coil detector
- Extended mandrels



Model 890

Optional: Power cutoff saw



Model 1296

COIL FEEDER FOR HIGH SPEED AND GREEN ROD APPLICATIONS

Standard Features

- Designed for high speed applications for diameters from .625 (16mm) to 1.500 inch (38mm)
- Eliminate the danger of operator injuries caused by pulling the end of the coil out by hand
- Pull the end of the coil to the feed rolls and straightener using a simple gripper and winch system.
- Ideal for green rod applications
- Can be used with:
 - Bull block
 - Draw bench
 - Pointer
 - Rotary swager
 - Welder
 - In-line wire drawer
 - Cold header
 - Straighten and cut machine

Options

- Track mounting to move the machine out of the wire line



HYDRAULIC PULL POINTER

Standard Features

- 0.400 (10mm) to 1.00 (25.4mm) capacity
- Hydraulic power pack with lever operated controls
- Can be mounted to a power uncoiler, power feeder, wire drawer
- Safety guarding with interlock
- One set of tools included with machine

